


110209.1  
PATENT

13581US



**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: CAUCI, Sabina Examiner: GITOMER, Ralph J.  
Serial No.: 10/698,795 Group Art Unit: 1655  
Filed: October 31, 2003  
For: Enzyme Activities & pH Tests for the Determination of the Risk of Obstetric and Gynecologic Complications in Samples of Body Fluids of Women

Kalow & Springut LLP  
488 Madison Avenue, 19th Floor  
New York, New York 10022

February 2, 2006

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


**RESPONSE TO RESTRICTION REQUIREMENT**

This response is in reply to the restriction requirement mailed on September 2, 2005, in connection with the above-identified application. The time set for filing a response to the restriction requirement expired on October 2, 2005. Pursuant to the enclosed petition and fee for a four-month extension of time, the time set for filing a reply now expires February 2, 2006, and thus this reply is timely filed.

Applicants provisionally elect with traverse the subject matter of Group I- Claims 1-16 drawn to a method for identifying women at risk for OBGYN complications, but expressly reserve the right to pursue the non-elected embodiments at a later time or in one or more divisional applications and/or continuation applications.

**Certificate of Mailing Under 37 C.F.R. 1.8**

I hereby certify that this correspondence is being deposited on the date shown below with the United States Postal Service as first class mail with sufficient postage in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

  
(Signature)

Sylvia Gonzalez  
(Printed Name of Person Signing Certificate)

February 2, 2006  
(Date)

02/07/2006 EAREGAY1 00000029 10698795

01 FC:2254

795.00 0P